

THE MOTHS AND BUTTERFLIES OF BIRCHANGER WOOD

This list is of moths and butterflies recorded in the last few years in the wood, or recorded nearby in the town and which may reasonably be expected in the wood. It does not include rarities recorded in the town, nor wetland species found in the adjacent Stort Valley. The microlepidoptera are not included: a list of these recorded in the Bishop's Stortford area, together with notes on the macrolepidoptera, may be obtained from the Bishop's Stortford Natural History Society.

HEPIALIDAE

Orange Swift	<i>Hepialus sylvina</i> (Linn.)
Common Swift	<i>Hepialus lupulinus</i> (Linn.)
Ghost Moth	<i>Hepialus humuli</i> (Linn.)

COSSIDAE

Leopard Moth	<i>Zeuzera pyrina</i> (Linn.)
--------------	-------------------------------

BUTTERFLIES

HESPERIIDAE

Small Skipper	<i>Thymelicus sylvestris</i> (Poda)
Essex Skipper	<i>Thymelicus lineola</i> (Ochs.)
Large Skipper	<i>Ochlodes venata</i> (Brem. & Grey)

PIERIDAE

The Brimstone	<i>Gonepteryx rhamni</i> (Linn.)
Large White	<i>Pieris brassicae</i> (Linn.)
Small White	<i>Pieris rapae</i> (Linn.)
Green-veined White	<i>Pieris napi</i> (Linn.)
Orange-tip	<i>Anthocharis cardamines</i> (Linn.)

LYCAENIDAE

Holly Blue	<i>Celastrina argiolus</i> (Linn.)
------------	------------------------------------

NYMPHALIDAE

Red Admiral	<i>Vanessa atalanta</i> (Linn.)
Small Tortoiseshell	<i>Aglais urticae</i> (Linn.)
The Peacock	<i>Inachis io</i> (Linn.)
The Comma	<i>Polyommatus icarus</i> (Linn.)

SATYRIDAE

Speckled Wood	<i>Pararge aegeria</i> (Linn.)
The Gatekeeper	<i>Pyronia tithonus</i> (Linn.)
The Ringlet	<i>Aphantopus hyperantus</i> (Linn.)

MOTHS

LASIOCAMPIDAE

December Moth	Poecilocampa populi (Linn.)
The Lackey	Malacosoma neustria (Linn.)
The Drinker	Euthrix potatoria (Linn.)

DREPANIDAE

Oak Hook-tip	Watsonalla binaria (Hufn.)
Pebble Hook-tip	Drepana falcataria (Linn.)
Chinese Character	Cilix glaucata (Scop.)

THYATIRIDAE

Peach Blossom	Thyatira batis (Linn.)
Buff Arches	Habrosyne pyritoides (Hufn.)
Figure of Eighty	Tethea ocularis octogesimea (Hb.)
Poplar Lutestring	Tethea or (D. & S.)
Yellow Horned	Achlya flavicornis galbanus (Tutt)
Frosted Green	Polyploca ridens (Fabr.)

GEOMETRIDAE

(The Light Orange Underwing, *Archiearis notha* (Hb.), was recorded in the wood years ago, but it is unclear whether recent sightings were of this species or of the Orange Underwing *Archiearis parthenias*).

March Moth	<i>Alsophila aescularia</i> (D. & S.)
Blotched Emerald	<i>Comibaena bajularia</i> (D. & S.)
Common Emerald	<i>Hemithea aestivaria</i> (Hb.)
Small Emerald	<i>Hemistola chrysoprasaria</i> (Esp.)
Little Emerald	<i>Jodis lactearia</i> (Linn.)
Maiden's Blush	<i>Cyclophora punctaria</i> (Linn.)
Blood-vein	<i>Timandra comae</i> (Schmidt)
Small Blood-vein	<i>Scopula imitaria</i> (Hb.)
Small Fan-footed Wave	<i>Idaea biselata</i> (Hufn.)
Dwarf Cream Wave	<i>Idaea fuscovenosa</i> (Goeze)
Small Dusty Wave	<i>Idea seriata</i> (Schr.)
Single-dotted Wave	<i>Idaea dimidiata</i> (Hufn.)
Treble Brown Spot	<i>Idaea trigeminata</i> (Haw.)
Small Scallop	<i>Idaea emarginata</i> (Linn.)
Riband Wave	<i>Idaea aversata</i> (Linn.)

Red Twin-spot Carpet	<i>Xanthorhoe spadicearia</i> (D. & S.)
Dark-barred Twin-spot Carpet	<i>Xanthorhoe ferrugata</i> (Cl.)
Large Twin-spot Carpet	<i>Xanthorhoe quadrifasiata</i> (Cl.)
Silver-ground Carpet	<i>Xanthorhoe montanata</i> (D. & S.)
Garden Carpet	<i>Xanthorhoe fluctuata</i> (Linn.)
Shaded Broad-bar	<i>Scotopteryx chenopodiata</i> (Linn.)
Common Carpet	<i>Epirrhoe alternata</i> (Mull.)
Yellow Shell	<i>Camptogramma bilineata</i> (Linn.)
The Mallow	<i>Larentia clavaria</i> (Haw.)
Shoulder Stripe	<i>Anticlea badiata</i> (D. & S.)
The Streamer	<i>Anticlea derivata</i> (D. & S.)
Water Carpet	<i>Lampropteryx suffumata</i> (D. & S.)
Purple Bar	<i>Cosmorhoe ocellata</i> (Linn.)
The Phoenix	<i>Eulithis prunata</i> (Linn.)
The Spinach	<i>Eulithis mellinata</i> (Fabr.)
Barred Straw	<i>Eulithis pyraliata</i> (D. & S.)
Small Phoenix	<i>Ecliptopera silaceata</i> (D. & S.)
Dark Marbled Carpet	<i>Chloroclysta citrata</i> (Linn.)
Common Marbled Carpet	<i>Chloroclysta truncata</i> (Hufn.)
Barred Yellow	<i>Cidaria fulvata</i> (Forst.)
Blue-bordered Carpet	<i>Plemyria rubiginata</i> (D. & S.)
Grey Pine Carpet	<i>Thera obeliscata</i> (Hb.)
Broken-barred Carpet	<i>Electrophaes corylata</i> (Thunb.)
Green Carpet	<i>Colostygia pectinataria</i> (Knoch)
July Highflyer	<i>Hydriomena furcata</i> (Thunb.)
Small Waved Umber	<i>Horisme vitalbata</i> (D. & S.)
The Fern	<i>Horisme tersata</i> (D. & S.)
Brown Scallop	<i>Philereme vetulata</i> (D. & S.)
Dark Umber	<i>Philereme transversata</i> (Hufn.)
November Moth	<i>Epirrita dilutata</i> (D. & S.)
Winter Moth	<i>Operophtera brumata</i> (Linn.)
The Rivulet	<i>Perizoma affiniata</i> (Steph.)
Small Rivulet	<i>Perizoma alchemillata</i> (Linn.)
Barred Rivulet	<i>Perizoma bifaciata</i> (Haw.)
Sandy Carpet	<i>Perizoma flavofasciata</i> (Thunb.)
Maple Pug	<i>Eupithecia inturbata</i> (Hb.)
Foxglove Pug	<i>Eupithecia pulchellata</i> (Steph.)
Mottled Pug	<i>Eupithecia exigua</i> (Hb.)
Lime-speck Pug	<i>Eupithecia centaureata</i> (D. & S.)
Freyer's Pug	<i>Eupithecia intricata arceuthata</i> (Freyer)
Wormwood Pug	<i>Eupithecia absinthiata</i> (Cl.)
Common Pug	<i>Eupithecia vulgata</i> (Haw.)
White-spotted Pug	<i>Eupithecia tripunctaria</i> H.-S.
Grey Pug	<i>Eupithecia subfuscata</i> (Haw.)
Tawny-speckled Pug	<i>Eupithecia icterata</i> (Vill.)
Bordered Pug	<i>Eupithecia succenturiata</i> (Linn.)
Shaded Pug	<i>Eupithecia subumbrata</i> (D. & S.)
Ochreous Pug	<i>Eupithecia indigata</i> (Hb.)
Ash Pug	<i>Eupithecia fraxinata</i> Crewe
Brindled Pug	<i>Eupithecia abbreviata</i> Steph.
Oak-tree Pug	<i>Eupithecia dodoneata</i> Guen.
The V-Pug	<i>Chloroclystis v-ata</i> (Haw.)
Green Pug	<i>Chloroclystis rectangulata</i> (Linn.)

Double-striped Pug	<i>Gymnoscalis rufifasciata</i> (Haw.)
Small White Wave	<i>Asthenes albulata</i> (Hufn.)
Small Yellow Wave	<i>Hydrelia flammeolaria</i> (Hufn.)
The Seraphim	<i>Lobophora halterata</i> (Hufn.)
Yellow-barred Brindle	<i>Acasis viretata</i> (Hb.)
The Magpie	<i>Abraxas grossulariata</i> (Linn.)
Clouded Border	<i>Lomaspilis marginata</i> (Linn.)
Scorched Carpet	<i>Ligdia adustata</i> (D. & S.)
Tawny-barred Angle	<i>Macaria liturata</i> (Cl.)
Latticed Heath	<i>Chiasmia clathrata</i> (Linn.)
Brown Silver-line	<i>Petrophora chlorosata</i> (Scop.)
Scorched Wing	<i>Plagodis dolabraria</i> (Linn.)
Brimstone Moth	<i>Opisthograptis luteolata</i> (Linn.)
Lilac Beauty	<i>Apeira syringaria</i> (Linn.)
Canary-shouldered Thorn	<i>Ennomos alniaria</i> (Linn.)
Dusky Thorn	<i>Ennomos fuscantaria</i> (Haw.)
September Thorn	<i>Ennomos erosaria</i> (D. & S.)
Early Thorn	<i>Selenia dentaria</i> (Fabr.)
Scalloped Hazel	<i>Odontopera bidentata</i> (Cl.)
Scalloped Oak	<i>Crocallis elinguaris</i> (Linn.)
Swallow-tailed Moth	<i>Ourapteryx sambucaria</i> (Linn.)
Feathered Thorn	<i>Colotois pennaria</i> (Linn.)
Small Brindled Beauty	<i>Apocheima hispidaria</i> (D. & S.)
Pale Brindled Beauty	<i>Apocheima pilosaria</i> (D. & S.)
Brindled Beauty	<i>Lycia hirtaria</i> (Cl.)
Oak Beauty	<i>Biston strataria</i> (Hufn.)
Peppered Moth	<i>Biston betularia</i> (Linn.)
Spring Usher	<i>Agriopsis leucophaearia</i> (D. & S.)
Scarce Umber	<i>Agriopsis aurantiaria</i> (Hb.)
Dotted Border	<i>Agriopsis marginaria</i> (Fabr.)
Mottled Umber	<i>Erannis defoliaria</i> (Cl.)
Waved Umber	<i>Menophra abruptaria</i> (Thunb.)
Willow Beauty	<i>Peribatodes rhomboidaria</i> (D. & S.)
Mottled Beauty	<i>Alcis repandata</i> (Linn.)
Great Oak Beauty	<i>Hypomecis roboraria</i> (D. & S.)
Pale Oak Beauty	<i>Hypomecis punctinalis</i> (Scop.)
The Engrailed	<i>Ectropis bistortata</i> (Goeze)
Small Engrailed	<i>Ectropis crepuscularia</i> (D. & S.)
Brindled White-spot	<i>Parectropis similaria</i> (Hufn.)
Grey Birch	<i>Aethalura punctulata</i> (D. & S.)
Common White Wave	<i>Cabera pusaria</i> (Linn.)
Common Wave	<i>Cabera exanthemata</i> (Scop.)
White-pinion Spotted	<i>Lomographa bimaculata</i> (Fabr.)
Clouded Silver	<i>Lomographa temerata</i> (D. & S.)
Early Moth	<i>Theria priveria</i> (Haw.)
Light Emerald	<i>Campaea margaritata</i> (Linn.)

SPHINGIDAE

Privet Hawk-moth	<i>Sphinx ligustri</i> (Linn.)
Pine Hawk-moth	<i>Hyloicus pinastri</i> (Linn.)
Lime Hawk-moth	<i>Mimas tiliae</i> (Linn.)
Eyed Hawk-moth	<i>Smerinthus ocellata</i> (Linn.)
Poplar Hawk-moth	<i>Laothoe populi</i> (Linn.)
Elephant Hawk-moth	<i>Deilephila elpenor</i> (Linn.)

NOTODONTIDAE

Buff-tip	<i>Phalera bucephala</i> (Linn.)
Puss Moth	<i>Cerura vinula</i> (Linn.)
Sallow Kitten	<i>Furcula furcula</i> (Cl.)
Poplar Kitten	<i>Furcula bifida</i> (Brahm)
Iron Prominent	<i>Notodonta dromedarius</i> (Linn.)
Pebble Prominent	<i>Notodonta ziczac</i> (Linn.)
Lesser Swallow Prominent	<i>Pheosia gnoma</i> (Fabr.)
Swallow Prominent	<i>Pheosia tremula</i> (Cl.)
Coxcomb Prominent	<i>Ptilodon capucina</i> (Linn.)
Maple Prominent	<i>Ptilodon cucullina</i> (D. & S.)
Pale Prominent	<i>Pterostoma palpina</i> (Cl.)
Lunar Marbled Brown	<i>Drymonia ruficornis</i> (Hufn.)
Chocolate-tip	<i>Clostera curtula</i> (Linn.)
Figure of Eight	<i>Diloba caeruleocephala</i> (Linn.)

LYMANTRIIDAE

The Vapourer	<i>Orgyis antiqua</i> (Linn.)
Pale Tussock	<i>Calliteara pudibunda</i> (Linn.)
Yellow-tail	<i>Euproctis similis</i> (Fuess.)
Black Arches	<i>Lymantria monacha</i> (Linn.)

ARCTIIDAE

Scarce Footman	<i>Eilema complana</i> (Linn.)
Common Footman	<i>Eilema lurideola</i> (Zinck.)
White Ermine	<i>Spilosoma lubricipeda</i> (Linn.)
Buff Ermine	<i>Spilosoma lutea</i> (Hufn.)
Muslin Moth	<i>Diaphora mendica</i> (Cl.)
Ruby Tiger	<i>Phragmatobia fuliginosa</i> (Linn.)

NOLIDAE

Short-cloaked Moth	<i>Nola cucullatella</i> (Linn.)
Least Black Arches	<i>Nola confusalis</i> (H.-S.)

NOCTUIDAE

Garden Dart	<i>Euxoa nigricans</i> (Linn.)
Turnip Moth	<i>Agrotis segetum</i> (D. & S.)
Heart and Dart	<i>Agrotis exclamationis</i> (Linn.)
Dark Swordgrass	<i>Agrotis ipsilon</i> (Hufn.)
Shuttle-shaped Dart	<i>Agrotis puta</i> (Hb.)
The Flame	<i>Axylia putris</i> (Linn.)
Flame Shoulder	<i>Ochropleura plecta</i> (Linn.)
Large Yellow Underwing	<i>Noctua pronuba</i> (Linn.)
Lesser Yellow Underwing	<i>Noctua comes</i> (Hb.)
Broad-bordered Yellow Underwing	<i>Noctua fimbriata</i> (Schreb.)
Lesser Broad-bordered Yellow Underwing	<i>Noctua janthe</i> (Borkh.)
Least Yellow Underwing	<i>Noctua interjecta caliginosa</i> Schaw.

Double Dart	<i>Graphiphora augur</i> (Fabr.)
Pearly Underwing	<i>Peridroma saucia</i> (Hb.)
Ingrailed Clay	<i>Diarsia mendica</i> (Fabr.)
Small Square-spot	<i>Diarsia rubi</i> (View.)
Setaceous Hebrew Character	<i>Xestia c-nigrum</i> (Linn.)
Double Square-spot	<i>Xestia triangulum</i> (Hufn.)
Six-striped Rustic	<i>Xestia sexstrigata</i> (Haw.)
Square-spot Rustic	<i>Xestia xanthographa</i> (D. & S.)
The Gothic	<i>Naenia typica</i> (Linn.)
Green Arches	<i>Anaplectoides prasina</i> (D. & S.)
Red Chestnut	<i>Cerastis rubricosa</i> (D. & S.)
The Nutmeg	<i>Discestra trifolii</i> (Hufn.)
The Shears	<i>Hada plebeja</i> (Linn.)
Grey Arches	<i>Polia nebulosa</i> (Hufn.)
Cabbage Moth	<i>Mamestra brassicae</i> (Linn.)
Dot Moth	<i>Melanchra persicariae</i> (Linn.)
Light Brocade	<i>Lacanobia w-latinum</i> (Hufn.)
Pale-shouldered Brocade	<i>Lacanobia thalassina</i> (Hufn.)
Bright-line Brown-eye	<i>Lacanobia oleracea</i> (Linn.)
Broom Moth	<i>Melanchra pisi</i> (Linn.)
Broad-barred White	<i>Hecatera bicolorata</i> (Hufn.)
The Campion	<i>Hadena rivularis</i> (Fabr.)
Tawny Shears	<i>Hadena perplexa</i> (D. & S.)
The Lychnis	<i>Hadena bicruris</i> (Hufn.)
Feathered Gothic	<i>Tholera decimalis</i> (Poda)
Pine Beauty	<i>Panolis flammea</i> (D. & S.)
Small Quaker	<i>Orthosia cruda</i> (D. & S.)
Lead-coloured Drab	<i>Orthosia populeti</i> (Fabr.)
Powdered Quaker	<i>Orthosia gracilis</i> (D. & S.)
Common Quaker	<i>Orthosia cerasi</i> (Fabr.)
Clouded Drab	<i>Orthosia incerta</i> (Hufn.)
Twin-spotted Quaker	<i>Orthosia munda</i> (D. & S.)
Hebrew Character	<i>Orthosia gothica</i> (Linn.)
Brown-line Bright-line	<i>Mythimna conigera</i> (D. & S.)
The Clay	<i>Mythimna ferrago</i> (Fabr.)
Smoky Wainscot	<i>Mythimna impura</i> (Hb.)
Common Wainscot	<i>Mythimna pallens</i> (Linn.)
Shoulder-striped Wainscot	<i>Mythimna obsoleta</i> (Hb.)
The Shark	<i>Cucullia umbratica</i> (Linn.)
The Mullein	<i>Shargacucullia verbasci</i> (Linn.)
Minor Shoulder-knot	<i>Brachylomia viminalis</i> (Fabr.)
The Sprawler	<i>Brachionycha sphinx</i> (Hufn.)
Deep-brown Dart	<i>Aporophyla lutulenta</i> (D. & S.)
Black Rustic	<i>Aporophyla nigra</i> (Haw.)
Tawny Pinion	<i>Lithophane semibrunnea</i> (Haw.)
Grey Shoulder-knot	<i>Lithophane ornitopus lactipennis</i> (Dadd)
Blair's Shoulder-knot	<i>Lithophane leautieri hesperica</i> Bours.
Early Grey	<i>Xylocampa areola</i> (Esp.)
Green-brindled Crescent	<i>Allophyes oxyacanthae</i> (Linn.)
Merveille du Jour	<i>Dichonia aprilina</i> (Linn.)
Brindled Green	<i>Dryobotodes eremita</i> (Fabr.)
Dark Brocade	<i>Blepharita adusta</i> (Esp.)
Large Ranunculus	<i>Polymixis flavicincta</i> (D. & S.)
The Satellite	<i>Eupsilia transversa</i> (Hufn.)
The Chestnut	<i>Conistra vaccinii</i> (Linn.)
Dark Chestnut	<i>Conistra ligula</i> (Esp.)
The Brick	<i>Agrochola circellaris</i> (Hufn.)
Red-line Quaker	<i>Agrochola lota</i> (Cl.)
Yellow-line Quaker	<i>Agrochola macilenta</i> (Hb.)

Brown-spot Pinion	<i>Agrochola litura</i> (Linn.)
Beaded Chestnut	<i>Agrochola lychnidis</i> (D. & S.)
Centre-barred Sallow	<i>Atethmia centrargo</i> (Haw.)
Lunar Underwing	<i>Omphaloscelis lunosa</i> (Haw.)
Barred Sallow	<i>Xanthia aurago</i> (D. & S.)
Pink-barred Sallow	<i>Xanthia togata</i> (Esp.)
The Sallow	<i>Xanthia icteritia</i> (Hufn.)
Poplar Grey	<i>Acronicta megacephala</i> (D. & S.)
The Sycamore	<i>Acronicta aceris</i> (Linn.)
The Miller	<i>Acronicta leporina</i> (Linn.)
Grey Dagger	<i>Acronicta psi</i> (Linn.)
Knot Grass	<i>Acronicta rumicis</i> (Linn.)
Marbled Beauty	<i>Cryphia domestica</i> (Hufn.)
Copper Underwing	<i>Amphipyra pyramidea</i> (Linn.)
Svensson's Copper Underwing	<i>Amphipyra berbera svenssoni</i> Fletch.
Mouse Moth	<i>Amphipyra tragopoginis</i> (Cl.)
Old Lady	<i>Mormo maura</i> (Linn.)
Bird's Wing	<i>Dypterygia scabriuscula</i> (Linn.)
Brown Rustic	<i>Rusina ferruginea</i> (Esp.)
Straw Underwing	<i>Thalpophila matura</i> (Hufn.)
Small Angle Shades	<i>Euplexia lucipara</i> (Linn.)
Angle Shades	<i>Phlogophora meticulosa</i> (Linn.)
The Olive	<i>Ipimorpha subtusa</i> (D. & S.)
Dingy Shears	<i>Parastichtis ypsilon</i> (D. & S.)
Lesser-spotted Pinion	<i>Cosmia affinis</i> (Linn.)
The Dun-bar	<i>Cosmia trapezina</i> (Linn.)
Lunar-spotted Pinion	<i>Cosmia pyralina</i> (D. & S.)
Dark Arches	<i>Apamea monoglypha</i> (Hufn.)
Light Arches	<i>Apamea lithoxylaea</i> (D. & S.)
Clouded-bordered Brindle	<i>Apamea crenata</i> (Hufn.)
Clouded Brindle	<i>Apamea epomidion</i> (Haw.)
Dusky Brocade	<i>Apamea remissa</i> (Hb.)
Small Clouded Brindle	<i>Apamea unanimitis</i> (Hb.)
Large Nutmeg	<i>Apamea anceps</i> (D. & S.)
Rustic Shoulder-knot	<i>Apamea sordens</i> (Hufn.)
Slender Brindle	<i>Apamea scolopacina</i> (Esp.)
Double Lobed	<i>Apamea ophiogramma</i> (Esp.)
Marbled Minor	<i>Oligia strigilis</i> (Linn.)
Tawny Marbled Minor	<i>Oligia latruncula</i> (D. & S.)
Middle-barred Minor	<i>Oligia fasciuncula</i> (Haw.)
Cloaked Minor	<i>Mesoligia furuncula</i> (D. & S.)
Common Rustic	<i>Mesapamea secalis</i> (Linn.)
Lesser Common Rustic	<i>Mesapamea didyma</i> (Esp.)
Small Dotted Buff	<i>Photedes minima</i> (Haw.)
Dusky Sallow	<i>Eremobia ochroleuca</i> (D. & S.)
Flounced Rustic	<i>Luperina testacea</i> (D. & S.)
Rosy Rustic	<i>Hydraecia micacea</i> (Esp.)
Frosted Orange	<i>Gortyna flavago</i> (D. & S.)
Large Wainscot	<i>Rhizedra lutosa</i> (Hb.)
The Uncertain	<i>Hoplodrina alsines</i> (Brahm)
The Rustic	<i>Hoplodrina blanda</i> (D. & S.)
Vine's Rustic	<i>Hoplodrina ambigua</i> (D. & S.)
Mottled Rustic	<i>Caradrina morpheus</i> (Hufn.)
Pale Mottled Willow	<i>Paradrina clavipalpis</i> (Scop.)

Scarce Silver-lines	<i>Bena bicolorana</i> (Fuessly)
Green Silver-lines	<i>Pseudoips prasinana britannica</i> Warren
Oak Nycteoline	<i>Nycteola revayana</i> (Scop.)
Nut-tree Tussock	<i>Colocasia coryli</i> (Linn.)
Burnished Brass	<i>Diachrysia chrysitis</i> (Linn.)
Silver Y	<i>Autographa gamma</i> (Linn.)
Beautiful Golden Y	<i>Autographa pulchra</i> (Haw.)
Plain Golden Y	<i>Autographa jota</i> (Linn.)
The Spectacle	<i>Abrostola tripartita</i> (Hufn.)
Red Underwing	<i>Catocala nupta</i> (Linn.)
The Blackneck	<i>Lygephila pastinum</i> (Treit.)
The Herald	<i>Scoliopteryx libatrix</i> (Linn.)
Beautiful Hook-tip	<i>Laspeyria flexula</i> (D. & S.)
Straw Dot	<i>Rivula sericealis</i> (Scop.)
The Snout	<i>Hypena proboscidalis</i> (Linn.)
The Fan-foot	<i>Zanclognatha tarsipennalis</i> (Treit.)
Small Fan-foot	<i>Herminia grisealis</i> (D. & S.)